

Tabela rzędnych do schematu podłączenia wpustów ulicznych

| Lp. | Dx-Wpx | L [m] | D [mnpm] | A [mnpm] | B [mnpm] | C [m] | A' [mnpm] | B' [mnpm] | C' [m] | i [%] |
|-----|----------|----------|-------------|-------------|-------------|----------|--------------|--------------|-----------|----------|
| 1 | D24-Wp49 | 8.00 | 95.05 | 96.80 | 95.32 | 1.48 | 96.65 | 95.40 | 1.25 | 1.0 |
| 2 | D24-Wp50 | 3.00 | 95.05 | 96.80 | 95.32 | 1.48 | 96.66 | 95.35 | 1.31 | 1.0 |
| 3 | D13-Wp51 | 4.00 | 94.93 | 96.48 | 95.23 | 1.25 | 96.46 | 95.27 | 1.19 | 1.0 |
| 4 | D13-Wp52 | 10.00 | 94.93 | 96.48 | 95.23 | 1.25 | 96.46 | 95.33 | 1.13 | 1.0 |
| 5 | D14-Wp53 | 3.50 | 94.96 | 96.50 | 95.26 | 1.24 | 96.51 | 95.33 | 1.18 | 2.0 |
| 6 | D15-Wp54 | 2.50 | 95.03 | 96.65 | 95.33 | 1.32 | 96.65 | 95.38 | 1.27 | 2.0 |
| 7 | D16-Wp55 | 7.00 | 95.06 | 96.90 | 95.36 | 1.54 | 96.69 | 95.43 | 1.26 | 1.0 |
| 8 | D16-Wp56 | 2.50 | 95.06 | 96.90 | 95.36 | 1.54 | 96.91 | 95.41 | 1.50 | 2.0 |
| 9 | D17-Wp57 | 3.50 | 95.09 | 96.85 | 95.39 | 1.46 | 96.85 | 95.45 | 1.40 | 1.7 |
| 10 | D27-Wp58 | 3.00 | 95.31 | 96.85 | 95.42 | 1.43 | 96.73 | 95.53 | 1.20 | 3.7 |
| 11 | D27-Wp59 | 9.50 | 95.31 | 96.85 | 95.42 | 1.43 | 96.73 | 95.53 | 1.20 | 1.2 |
| 12 | D20-Wp60 | 5.50 | 95.29 | 96.80 | 95.49 | 1.31 | 96.77 | 95.57 | 1.20 | 1.5 |
| 13 | D20-Wp61 | 7.50 | 95.29 | 96.80 | 95.49 | 1.31 | 96.78 | 95.58 | 1.20 | 1.2 |
| 14 | D21-Wp62 | 5.50 | 95.34 | 96.67 | 95.53 | 1.14 | 96.65 | 95.65 | 1.00 | 2.2 |
| 15 | D22-Wp63 | 10.00 | 95.64 | 96.73 | 95.64 | 1.09 | 96.70 | 95.69 | 1.01 | 0.5 |
| 16 | D22-Wp64 | 8.50 | 95.64 | 96.73 | 95.64 | 1.09 | 96.70 | 95.68 | 1.02 | 0.5 |
| 17 | D25-Wp65 | 4.00 | 95.40 | 96.80 | 95.40 | 1.40 | 96.83 | 95.47 | 1.36 | 1.7 |
| 18 | D25-Wp66 | 2.50 | 95.40 | 96.80 | 95.40 | 1.40 | 96.83 | 95.44 | 1.39 | 1.6 |
| 19 | D26-Wp67 | 4.00 | 95.57 | 97.00 | 95.57 | 1.43 | 96.99 | 95.61 | 1.38 | 1.0 |
| 20 | D26-Wp68 | 2.00 | 95.57 | 97.00 | 95.57 | 1.43 | 96.99 | 95.59 | 1.40 | 1.0 |
| 21 | D29-Wp69 | 3.50 | 95.43 | 96.83 | 95.43 | 1.40 | 96.83 | 95.50 | 1.33 | 2.0 |
| 22 | D29-Wp70 | 3.50 | 95.43 | 96.83 | 95.43 | 1.40 | 96.85 | 95.50 | 1.35 | 2.0 |
| 23 | D30-Wp71 | 4.50 | 95.56 | 96.73 | 95.56 | 1.17 | 96.66 | 95.60 | 1.06 | 0.9 |
| 24 | D30-Wp72 | 4.50 | 95.56 | 96.73 | 95.56 | 1.17 | 96.50 | 95.60 | 0.90 | 0.9 |
| 25 | D30-Wp73 | 9.50 | 95.56 | 96.73 | 95.56 | 1.17 | 96.51 | 95.65 | 0.86 | 0.9 |
| 26 | D32-Wp74 | 3.50 | 95.60 | 96.55 | 95.60 | 0.95 | 96.51 | 95.64 | 0.87 | 1.1 |
| 27 | D32-Wp75 | 3.50 | 95.60 | 96.55 | 95.60 | 0.95 | 96.51 | 95.64 | 0.87 | 1.1 |
| 28 | D60-Wp76 | 2.50 | 95.39 | 96.95 | 95.50 | 1.45 | 96.89 | 95.54 | 1.35 | 1.6 |
| 29 | D60-Wp77 | 8.00 | 95.39 | 96.95 | 95.50 | 1.45 | 96.72 | 95.62 | 1.10 | 1.5 |
| 30 | D61-Wp78 | 5.00 | 95.42 | 96.90 | 95.53 | 1.37 | 96.89 | 95.63 | 1.26 | 2.0 |
| 31 | D62-Wp79 | 3.00 | 95.48 | 96.94 | 95.59 | 1.35 | 96.92 | 95.64 | 1.28 | 1.7 |
| 32 | D62-Wp80 | 19.00 | 95.48 | 96.94 | 95.59 | 1.35 | 96.95 | 95.78 | 1.17 | 1.0 |
| 33 | D63-Wp81 | 3.00 | 95.55 | 97.08 | 95.66 | 1.42 | 97.05 | 95.72 | 1.33 | 2.0 |
| 34 | D68-Wp82 | 3.50 | 95.63 | 97.05 | 95.68 | 1.37 | 97.03 | 95.75 | 1.28 | 2.0 |
| 35 | D68-Wp83 | 4.50 | 95.63 | 97.05 | 95.68 | 1.37 | 97.04 | 95.77 | 1.27 | 2.0 |
| 36 | D64-Wp84 | 7.00 | 95.80 | 96.90 | 95.80 | 1.10 | 96.85 | 95.84 | 1.01 | 0.6 |
| 37 | D64-Wp85 | 12.00 | 95.80 | 96.90 | 95.80 | 1.10 | 96.81 | 95.86 | 0.95 | 0.5 |
| 38 | D64-Wp86 | 11.00 | 95.80 | 96.90 | 95.80 | 1.10 | 96.82 | 95.86 | 0.96 | 0.5 |
| 39 | D65-Wp87 | 8.50 | 95.48 | 96.85 | 95.48 | 1.37 | 97.02 | 95.65 | 1.37 | 2.0 |
| 40 | D65-Wp88 | 6.00 | 95.48 | 96.85 | 95.48 | 1.37 | 96.71 | 95.60 | 1.11 | 2.0 |
| 41 | D67-Wp89 | 2.00 | 95.59 | 97.07 | 95.59 | 1.48 | 97.06 | 95.62 | 1.44 | 1.5 |
| 42 | D67-Wp90 | 4.50 | 95.59 | 97.07 | 95.59 | 1.48 | 97.06 | 95.67 | 1.39 | 1.8 |